

### DOMESTIC HOT WATER TANK SIZING SUMMARY

STEELCRAFT MODEL	DIAMETER (IN)	TANK HEIGHT W/O 12" LEGS (IN)	APP VOL (L)	APP WT (LBS)	# ANODES	MAWP (PSI)
SCDHWT30X048	30	48	435	680	1	150
SCDHWT30X060	30	60	565	800	1	150
SCDHWT30X072	30	72	685	925	1	150
SCDHWT30X084	30	84	810	1050	1	150
SCDHWT30X096	30	96	930	1170	1	150
SCDHWT30X108	30	108	1060	1305	2	150
SCDHWT36X060	36	60	805	1020	1	150
SCDHWT36X072	36	72	985	1180	1	150
SCDHWT36X084	36	84	1170	1340	1	150
SCDHWT36X096	36	96	1350	1505	1	150
SCDHWT36X108	36	108	1530	1670	2	150
SCDHWT36X120	36	120	1710	1830	2	150
SCDHWT42X060	42	60	1090	1235	1	150
SCDHWT42X072	42	72	1340	1420	1	150
SCDHWT42X084	42	84	1590	1610	1	150
SCDHWT42X096	42	96	1840	1795	1	150
SCDHWT42X108	42	108	2090	1990	2	150
SCDHWT42X120	42	120	2340	2180	2	150
SCDHWT42X132	42	132	2590	2365	2	150
SCDHWT42X144	42	144	2840	2555	2	150
SCDHWT48X060	48	60	1415	1450	1	150
SCDHWT48X072	48	72	1745	1665	1	150
SCDHWT48X084	48	84	2075	1880	1	150
SCDHWT48X096	48	96	2405	2095	1	150
SCDHWT48X108	48	108	2735	2320	2	150
SCDHWT48X120	48	120	3070	2530	2	150
SCDHWT48X132	48	132	3395	2745	2	150
SCDHWT48X144	48	144	3730	2960	2	150
SCDHWT48X156	48	156	4060	3175	2	150
SCDHWT48X168	48	168	4385	3390	2	150

### DOMESTIC HOT WATER TANK SIZING SUMMARY

STEELCRAFT MODEL	DIAMETER (IN)	TANK HEIGHT W/O 12" LEGS (IN)	APP VOL (L)	APP WT (LBS)	# ANODES	MAWP (PSI)
SCDHWT54X072	54	72	2180	2210	1	150
SCDHWT54X084	54	84	2600	2490	1	150
SCDHWT54X096	54	96	3020	2785	2	150
SCDHWT54X108	54	108	3435	3065	2	150
SCDHWT54X120	54	120	3860	3350	2	150
SCDHWT54X132	54	132	4280	3635	2	150
SCDHWT54X144	54	144	4695	3915	2	150
SCDHWT54X156	54	156	5115	4200	2	150
SCDHWT54X168	54	168	5535	4485	2	150
SCDHWT60X072	60	72	2670	2455	1	150
SCDHWT60X084	60	84	3190	2780	2	150
SCDHWT60X096	60	96	3710	3095	2	150
SCDHWT60X108	60	108	4230	3410	2	150
SCDHWT60X120	60	120	4755	3725	2	150
SCDHWT60X132	60	132	5280	4040	2	150
SCDHWT60X144	60	144	5795	4355	2	150
SCDHWT60X156	60	156	6320	4670	2	150
SCDHWT60X168	60	168	6840	4985	2	150
SCDHWT66X072	66	72	3195	2745	1	150
SCDHWT66X084	66	84	3830	3100	2	150
SCDHWT66X096	66	96	4465	3445	2	150
SCDHWT66X108	66	108	5100	3795	2	150
SCDHWT66X120	66	120	5735	4140	2	150
SCDHWT66X132	66	132	6370	4485	2	150
SCDHWT66X144	66	144	7005	4835	2	150
SCDHWT66X156	66	156	7640	5180	2	150
SCDHWT66X168	66	168	8275	5535	3	150
SCDHWT72X084	72	84	4520	3760	2	150
SCDHWT72X096	72	96	5275	4185	2	150
SCDHWT72X108	72	108	6035	4610	2	150

**DOMESTIC HOT WATER TANK SIZING SUMMARY**

STEELCRAFT MODEL	DIAMETER (IN)	TANK HEIGHT W/O 12" LEGS (IN)	APP VOL (L)	APP WT (LBS)	# ANODES	MAWP (PSI)
SCDHWT72X120	72	120	6795	5035	2	150
SCDHWT72X132	72	132	7555	5460	2	150
SCDHWT72X144	72	144	8315	5885	2	150
SCDHWT72X156	72	156	9075	6315	3	150
SCDHWT72X168	72	168	9835	6740	3	150
SCDHWT78X084	78	84	5210	4520	2	150
SCDHWT78X096	78	96	6095	5030	2	150
SCDHWT78X108	78	108	6985	5540	2	150
SCDHWT78X120	78	120	7875	6060	3	150
SCDHWT78X132	78	132	8765	6575	3	150
SCDHWT78X144	78	144	9655	7085	3	150
SCDHWT78X156	78	156	10,540	7595	3	150
SCDHWT78X168	78	168	11,435	8105	3	150
SCDHWT84X108	84	108	8045	6000	2	150
SCDHWT84X120	84	120	9085	6560	3	150
SCDHWT84X132	84	132	10,120	7110	3	150
SCDHWT84X144	84	144	11,155	7660	3	150
SCDHWT84X156	84	156	12,190	8210	3	150
SCDHWT84X168	84	168	13,225	8760	3	150
SCDHWT96X108	96	108	10,320	7745	3	150
SCDHWT96X120	96	120	11,680	8440	3	150
SCDHWT96X132	96	132	13,040	9130	3	150
SCDHWT96X144	96	144	14,395	9825	3	150
SCDHWT96X156	96	156	15,750	10,520	3	150
SCDHWT96X168	96	168	17,105	11,220	4	150